

[← Older edit](#)

[Newer edit](#) →

Line 2:

```
{ {Portal/ContainerOpen|col=1} }
{ {Portal/CellOpen|image=true} }
[[File:handbook-home.jpg|100%|link=Main Page|Main Page]]
{ {Portal/CellClose} }
{ {Portal/ContainerClose} }
{ {Portal/ContainerOpen|col=1|class=intro-text} }
```

Welcome to Greenwich Yacht Club. We are a friendly, member run club with a clubhouse **and yard** on the river Thames just three miles downriver from Tower Bridge.

Line 2:

```

{{Portal/ContainerOpen|col=1}}

+ {{Portal/CellOpen|image=true}}

[[File:handbook-home.jpg|100%|link=Main Page|Main Page]]

+ {{Portal/CellClose}}

{{Portal/ContainerClose}}

{{Portal/ContainerOpen|col=1|class=intro-text}}

<html>

+ <div id="fb-root"></div>

+ <script async defer crossorigin="
anonymous" src="https://connect.facebook.net
/en_GB/sdk.js#xfbml=1&version=v9.
0&appId=217445688277098&autoLogAppEvents=1"
nonce="ejn2F6n8">

+ </script>

+ <div class="form-group">

We are a friendly, member-run club with an amazing clubhouse
on the river Thames, just three miles downriver from Tower
Bridge.

+ <a href="https://twitter.com/GreenwichYC" class="
twitter-follow-button"

+ data-show-count="false"></a>

+ <script>!function (d, s, id) {

+ var js, fjs = d.getElementsByTagName(s)[0],

+ p = /^http/.test(d.location) ? 'http' : 'https';

```

The diagram illustrates the sequence of DOM mutations for a web page. The left side shows the initial state with a minus sign, and the right side shows the sequence of additions with plus signs.

Initial State (Left):

- Minus sign (-)
- Empty container box
- Text: "This site is the members handbook for the club; visitors are welcome to browse and hopefully you will pay most attention to the 'Join GYC' section!"
- Text: "{{Portal/ContainerClose}}"

Sequence of Mutations (Right):

- Plus sign (+) followed by: `if (!d.getElementById(id)) {`
- Plus sign (+) followed by: `js = d.createElement(s);`
- Plus sign (+) followed by: `js.id = id;`
- Plus sign (+) followed by: `js.src = p + '://platform.twitter.com/widgets.js';`
- Plus sign (+) followed by: `fjs.parentNode.insertBefore(js, fjs);`
- Plus sign (+) followed by: `}`
- Plus sign (+) followed by: `}(document, 'script', 'twitter-wjs');`
- Plus sign (+) followed by: `<div class="fb-like" data-href="https://www.facebook.com/GreenwichYachtClub/"`
- Plus sign (+) followed by: `data-width="" data-layout="button" data-action="like" data-size="small"`
- Plus sign (+) followed by: `data-share="true">`
- Plus sign (+) followed by: `</div>`
- Plus sign (+) followed by: `Members - please also visit the <a href="https://members.greenwichyachtclub.co.uk" target=_blank>members portal</a>`
- Plus sign (+) followed by: `</div>`
- Plus sign (+) followed by: `</html>`
- Plus sign (+) followed by: `{{Portal/ContainerClose}}`
- Plus sign (+) followed by: `{{Portal/ContainerOpen}}`
- Plus sign (+) followed by: `{{Portal/CellOpen}}`
- Plus sign (+) followed by: `[[File:learn-home.jpg|link=Learn_to_Sail|Learn_to_Sail]]`
- Plus sign (+) followed by: `{{Portal/CellClose}}`
- Plus sign (+) followed by: `{{Portal/CellOpen}}`
- Plus sign (+) followed by: `[[File:cruiser-home.jpg|link=Cruiser_Fleet|Cruiser_Fleet]]`
- Plus sign (+) followed by: `{{Portal/CellClose}}`

-	<code>{{Portal/ContainerOpen col=3 class=contact-primary}}</code>		
-	<code>{{Portal/CellOpen class=personal-contact}}{{Testwiki/Questions}}{{Portal/CellClose}}{{Portal/CellOpen class=webinar}}{{Testwiki/Webinar}}{{Portal/CellClose}}</code>		
-	<code>{{Portal/CellOpen class=helpdesk}}{{Testwiki/Helpdesk}}{{Portal/CellClose}}</code>		
	<code>{{Portal/ContainerClose}}</code>		<code>{{Portal/ContainerClose}}</code>
-	<code>=='''What would you like to use BlueSpice pro for?'''==</code>		
-	<code>{{Portal/ContainerOpen col=2 class=use-cases}}{{Portal/CellOpen}}</code>		
-	<code>[[File:Icon Managementsystem.png center]]</code>		
-	<code>[[Integrated Management System]]</code>	+	<code>{{Portal/ContainerOpen col=2 class=image-box}}</code>
-	Use BlueSpice to combine various management systems such as knowledge or quality management to a system of holistic corporate management.	+	<code>{{Portal/CellOpen}}</code>
		+	<code>[[File:dingy-home.jpg 100% link=Dinghy_Fleet Dinghy_Fleet]]</code>
		+	<code>{{Portal/CellClose}}</code>
-	<code>[[Integrated Management System More about this application ...]]</code>	+	<code>{{Portal/CellOpen}}</code>
		+	<code>[[File:rowing-home.jpg 100% link=Rowing Rowing]]</code>
		+	<code>{{Portal/CellClose}}</code>
		+	
		+	<code>{{Portal/ContainerClose}}</code>
		+	
		+	<code>{{Portal/ContainerOpen col=2 class=image-box}}</code>
		+	
		+	<code>{{Portal/CellOpen}}</code>
		+	<code>[[File:social-home.jpg 100% link=Social_Events Social]]</code>
		+	<code>{{Portal/CellClose}}</code>

The diagram illustrates the structure of a Wiki page template, showing two versions: Line 37 and Line 79. The template is divided into a main content area and a sidebar.

Line 37:

- The main content area contains a large box for the main content, followed by a box for the sidebar.
- The sidebar contains a box for the sidebar content, followed by a box for the sidebar content.
- The main content area contains a box for the main content, followed by a box for the sidebar.
- The sidebar contains a box for the sidebar content, followed by a box for the sidebar content.

Line 79:

- The main content area contains a large box for the main content, followed by a box for the sidebar.
- The sidebar contains a box for the sidebar content, followed by a box for the sidebar content.
- The main content area contains a box for the main content, followed by a box for the sidebar.
- The sidebar contains a box for the sidebar content, followed by a box for the sidebar content.

Revision as of 12:43, 26 November 2021



We are a friendly, member-run club with an amazing clubhouse on the river Thames, just three miles downriver from Tower Bridge.
Members - please also visit the [members portal](#)

Learn to Sail



Cruiser Fleet



Dinghy Fleet



Rowing



